



## Review Our Product Documentation

Cleveland Steel Container's steel pail drawings contain our common steel pail sizes. If you are requiring exact steel pail dimensions or you need a steel pail size that is not included on the drawing please contact either Sue Bush at our corporate office at [sbush@cscpails.com](mailto:sbush@cscpails.com) or 440-394-8000 or your Regional Sales Manager.

*Click images to view PDFs*



### Tighthead Pail

NOTE: 1. Use the table to determine the capacity of the pail for 1.0 gallon or 0.5 liter. 2. Use the table to determine the capacity of the pail for 1.0 gallon or 0.5 liter.

DIMENSION	CAPACITY (GALLONS)					
	1.0	0.5	0.25	0.125	0.0625	0.03125
1	1.0	0.5	0.25	0.125	0.0625	0.03125
2	1.0	0.5	0.25	0.125	0.0625	0.03125
3	1.0	0.5	0.25	0.125	0.0625	0.03125
4	1.0	0.5	0.25	0.125	0.0625	0.03125
5	1.0	0.5	0.25	0.125	0.0625	0.03125
6	1.0	0.5	0.25	0.125	0.0625	0.03125
7	1.0	0.5	0.25	0.125	0.0625	0.03125
8	1.0	0.5	0.25	0.125	0.0625	0.03125
9	1.0	0.5	0.25	0.125	0.0625	0.03125
10	1.0	0.5	0.25	0.125	0.0625	0.03125
11	1.0	0.5	0.25	0.125	0.0625	0.03125
12	1.0	0.5	0.25	0.125	0.0625	0.03125
13	1.0	0.5	0.25	0.125	0.0625	0.03125
14	1.0	0.5	0.25	0.125	0.0625	0.03125
15	1.0	0.5	0.25	0.125	0.0625	0.03125
16	1.0	0.5	0.25	0.125	0.0625	0.03125
17	1.0	0.5	0.25	0.125	0.0625	0.03125
18	1.0	0.5	0.25	0.125	0.0625	0.03125
19	1.0	0.5	0.25	0.125	0.0625	0.03125
20	1.0	0.5	0.25	0.125	0.0625	0.03125

### Destacker Lug Cover (Non-Registered)

NOTE: 1. Use of Stake with 1.0 gallon or 0.5 liter.

COVER DIMENSIONS AVAILABLE:

- 1. 1.0 gallon
- 0.5 liter
- 0.25 gallon
- 0.125 gallon
- 0.0625 gallon
- 0.03125 gallon

### Hi-Perform Lug Cover (U.S. Registered)

NOTE: 1. Use of Stake with 1.0 gallon or 0.5 liter.

COVER DIMENSIONS AVAILABLE:

- 1. 1.0 gallon
- 0.5 liter
- 0.25 gallon
- 0.125 gallon
- 0.0625 gallon
- 0.03125 gallon

### Ring Seal Cover (U.S. Based)

NOTE: 1. Use of Stake with 1.0 gallon or 0.5 liter. 2. Use of Stake with Ring or Page 11.

COVER DIMENSIONS AVAILABLE:

- 1. 1.0 gallon
- 0.5 liter
- 0.25 gallon
- 0.125 gallon
- 0.0625 gallon
- 0.03125 gallon

## S Lever Lock Rings

(To be used with Ring Seal Covers)



**U.N. REGULATED LIQUID 18ga RING #RU**      **U.N. REGULATED SOLID (18ga) RING #RS**

(U.N. Liquid or Solid metal packages)

**COVER SUBJECTS AVAILABLE**  
 1. 2010-2011  
 2. 2012-2013  
 3. 2014-2015

**COVER SUBJECTS AVAILABLE**  
 1. 2010-2011  
 2. 2012-2013  
 3. 2014-2015



**NON-REGULATED RING #RN**


(Liquid or Solid)

**COVER SUBJECTS AVAILABLE**  
 1. 2010-2011  
 2. 2012-2013  
 3. 2014-2015


Page 3 of 3

## S Tighthead Top Configurations

**Ricke Prep:**



**Screw Cap:**



**Drum Fittings:**



Page 3 of 3